


Application Note

ANSS024103102 – SeaGauge G4 App Note Index



Chetco Digital Instruments, Inc

Revision 103124

support@seasmart.net
Brookings, OR 97415

version 103124

www.helmsmart.net
www.seasmart.net

AN_SS23073001_SeaSmartAPmode.pdf	A summary on how to connect directly to SeaSmartG3/SeaGaugeG4 wireless interface without a local wireless network
AN_SS230228_SeaSmartSTAmode.pdf	A summary on how to connect directly to SeaSmartG3/SeaGaugeG4 wireless interface in AP mode and then change connection to a local WIFI network using SSID and password
AN_SS24103003_ConfigSummary.pdf	A summary of all SeaSmartG3/SeaGaugeG4 configuration options available via the embedded Web Browser interface
AN_SS23080701_WebConfigFiles.pdf	Shows how to the embedded browser interface to upload and download configuration files to the internal SD memory card
AN_SS24092701_ConfigAnalogInputs.pdf	Shows how to configure SeaGaugeG4 analog sensor inputs using browser interface to assign CAN bus messages
AN_SS241031_ModifyCalibrationFiles.pdf	Shows how to modify calibration tables using the embedded browser interface
AN_SS24102601_ConfigPulseInputs.pdf	Shows how to configure SeaSmartG3/SeaGaugeG4 pulse inputs for RPM and Fuel Flow sensors
AN_SS24102301_ConfigIndicatorRuntime.pdf	Shows how to configure SeaGaugeG4 indicator runtime counters
AN_SS24093001_ConfigAnalogAlarms.pdf	Shows how to set up SeaGaugeG4 sensor alarms using the embedded browser interface
AN_SS230803_CustomWebConfig.pdf	Shows how to customized the browser based instruments display pages and store customized setting on internal SD card
AN_SS23073002_SD_FirmwareUpdate.pdf	Shows how to update device firmware by copying to internal SD card
AN_SS23073003_WEB_FirmwareUpdate.pdf	Shows how to update device firmware and config files by using the embedded browser interface to load onto internal SD card